Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.



69P

PLANT DISEASE REPORTER

ISSUED BY
THE OFFICE OF MYCOLOGY AND DISEASE SURVEY

Supplement 57

Index to Supplements 52-56

December 31, 1927



BUREAU OF PLANT INDUSTRY

UNITED STATES DEPARTMENT OF AGRICULTURE

PLANT DISEASE REPORTER

ISSUED BY-

THE OFFICE OF MYSDLOGY AND DISEASE SURVEY

Supplement 37

index to Supplements it-60

Detember 31, 1927



PLANT INDUSTRY

UNITED STATES DEPARTMENT OF ACRICULTURE

INDEX OF ORGANISMS AND NON-PARASITIC DISEASES

IN

PLANT DISEASE REPORTER
SUPPLEMENTS LII-LVI, 1927

Plant Disease Reporter Supplement 57

December 31, 1927

Prepared by Mary G. Van Meter and Rosella C. Loftus

Acanthorhyncus vaccinii, cranberry, 91. Acrothecium sp:, rice, 187. Actinomyces scabies, beet, 325. potato, 221. radish, 288. turnip, 288. Aecidium myosotidis, Myosotis virginica, 382. Albugo candida, mustard, 288. radish, 288. Sisymbrium altissimum, 384. Sophia filipes, 384. turnip; 200. ipomoeae-panduranae, Ipomoea spp.,370. sweet potato, 270. tragopogonis, salsify; 332. Aleurodiscus macrodeus, Fraxinus sp., 350. Salix spp., 356. subraentatus, Picea sitchensis, 339. Pseudotsuga douglasii, 344. Alternaria allii, onion, 280. brassicae, American broccoli, 286. broccoli, 286. cabbage, 285. horseradish, 207. citri, citrus, 97. lemon, 97. navel orange, 97: crassa, Datura stramonium, 381. fasciculata, bean, 277. herculea, horseradish, 207. solani, eggplant, 327. potato, 219, 407. tomato, 255, 410. sp., Acer palmatum, 346. cotton, 310. flax, 187: pepper; 330. plum, 68. Symphoricarpos racemosus, 377. panax, ginseng, 328.

Ammoniation, grapefruit, 100.

orange, 100.

Amphisphaeria pelorospora, Nyssa sp., Aphanomyces euteiches, pea, 305. raphani, radish, 288, Aphelenchus sp., Dahlia sp., 365. zinnia elegans, 378. subtenuis, Narcissus sp., 373. Aplanobacter insidiosum, alfalfa, 193. michiganense, tomato, 265. stewartii, corn, 185. Arceuthobium americanum (see Razoumofksya americana), 340. Armillaria mellea, apple, 36. apricot, 71. Cedrus deodara, 336. cherry, 71. Ligustrum sp., 372. peach, 65.
pear, 48. Phoenix spp., 376. Pinus ponderosa, 341. plum, 68. Quercus spp., 355. Syringa vulgaris, 377. Zantedeschia aethiopica, 378. Ascochyta baptisiae, Baptisia leucantha, 380. compositarum, Eupatorium purpureum, gossypii, cotton, 309. · imperfecta, alfalfa, 197. pisi, Lathyrus odoratus, 371. Lathyrus palustris, 382. rhei, rhubarb, 331. spp., pea, 305. thaspii, Cicuta maculata, 381. saniculae, Sanicula gregaria, 384. Ascospora rubi, raspberry, 86. · Aspergillus niger, citrus, 97, grape, 75.

onion, 200.

sp., corn, 186. . orange, 93. Asteroma lactucae, Lactuca canadensis, 382. Auerswaldia quercicola, Quercus palustris, 354. B squash, 296. Bacillus amylovorus, apple, 23, 416. apricot, 71. pear, 45, 419. Photinia arbutifolia, 376. quince, 50. Sorbus sp., 357. carotovorus, carrot, 326. cauliflower, 285. spp., 191. celery, 302. sorghum, 191. Iris sp., 370. lettuce; 303. muskmelon, 293. onion, 201. parsnip, 329. potato, 248. squash, 296. tobacco, 315. turnip, 288: phytophthorus, potato, 227, 405. solanacearum, tomato, 410. tracheiphilus, cucumber, 293: (2000) soybean, 202. pisi, pea, 306. muskmelon, 289. squash, 296. watermelon, 299 Bacterial leaf spot, Berberis thunbergi, Cocos plumosus, 365. horseradish, 207. Washingtonia sp., 378. Bacterial wilt, Begonia sp., 360, 360 Bacterium andropogoni, sorghum, 191 potato, 234. angulatum, tobacco, 312. tobacco, 315... toma to, 261. apii, celery, 302. atrofaciens, wheat, 151. beticolum, sugar beet, 324. campestre, American broccoli, 286 broccoli, 286. cabbage, 283. cauliflower, 205. apricot, 71. rape, 288: beet, 326. cannae, Canna indica, 363. cerasi, apricot, 71. cherry; 70. grape, 77. peach, 65. peach, 65. pear, 48. citrarefaciens (see B. citriputeale), 94.

citri, citrus, 93.

citriputeale, lemon, 94. navel orange, 94. coronafaciens, oats, 175. cucurbitae, pumpkin, 296. delphinii, Delphinium sp., 366. dissolvens, corn, 186. erodii, Pelargonium sp., 375. flaccumfaciens, bean, 272. glycineum, soybean, 202. gummisudans, Gladiolus sp., 360. holci, grasses, 191. Holcus sorghum sudanensis, 204. juglandis, Persian walnut, 107. lachrymans, cucumber, 294. maculicolum, cabbage, 285. cauliflower, 285. malvacearum, cotton, 308, 411. marginatum, Gladiolus sp., 368. medicaginis, alfalfa, 193. melleum, tobacco, 315. pelargoni, Pelargonium sp., 375. phaseoli, bean, 272, 412. cowpea, 201. pruni, apricot, 71. cherry, 70. peach, 57. plum, 68. pueriae, kudzu, 203. savastanoi, olive, 102. solanacearum, eggplant, 327. pepper, 330. . tabacum, tobacco, 312. translucens, barley, 160. undulosum, wheat, 151. trifoliorum, clover, 199. tumefaciens, apple, 28. blackberry, 89. Euonymus sp., 368. pecan, 106. raspberry, 87.

sugar beet, 324. vascularum, sugar cane, 320. vesicatorium, pepper, 330. tomato, 263: vignae, cowpea, 201. lima bean, 278. viridifaciens (see B. vignae), 278. vitians, lettuce, 303. sp., filbert, 108. Gladiolus sp., 369. Nymphaea sp., 374. Syringa vulgaris, 377. Bagnisiopsis eucalypti, Eucalyptus sp., Basisporium gallarum, corn, 186. Bifusella abietis, Abies arizonica, 335. Abies lasiocarpa, 335. · Bitter pit, apple, 34. pear, 49. Black-end rot, pear, 49. Black heart, celery, 302. potato; 249. Black pit, pecan, 106. Blast, cats, 175. ... Blight, Antirrhinum majus, 359. citrus, 99. Blossom drop, tomato, 265. Blossom-end rot, tomato, 264. watermelon, 300. watermelon, 300. Botryosphaeria ribis, currant, 90. chromogena, Berberis sp., 360. Caesalpinia pulcherrima, 361. Cassia sp., 363: Laguncularia racemosa; 382. Liquidambar styraciflua, 351. Magnolia sp., 351. peach, 65. Quercus spp., 355. Ricinus communis, 383. Salix spp., 356: Sambucus sp., 356. sp., orange, 96. Botrytis cinerea, Callistephus chinensis, 361: cherry, 71. citrus, 97, 98. feijoa, 103. gooseberry, 90. paeoniae, Paeoniae sp., 374. tulipae, Tulipa sp., 377. sp., apple, 39. Begonia sp., 359. Camellia japonica, 362.

Chrysanthemum spp.,. 363. eggplant, 327. Erythronium albidum, 381. Gladiolus sp., 369. grape, 75. lettuce, 303. narcissus, 373. onion, 200. Paeonia sp., 374. peanut, 330. Pelargonium sp., 375. pepper, 330. Podophyllum peltatum, 383. Pseudotsuga douglasii, 344. soybean, 202. strawberry, 80. Symplocarpus foetidus, 384. Zinnia elegans, 378. Bremia lactucae, lettuce, 303. Brown blotch, pear, 48. Brown root rot, tobacco, 315. Brown rot, lettuce, 304. Bud blast, Calendula officinalis, 361.

-industry of Co. · Caconema radicicola, alfalfa, 197. Antirrhinum majus, 359. bean, 277. beet, 326. cabbage, 285. carrot, 326. celery, 302. Chenopodium album, 306. cotton, 309. cowpea, 201. cucumber, 296. fig, 103. Fraxinus velutina, 350. grape; 77. Iris sp., 370. kudzu, 204. Lathyrus odoratus, 372. Magnolia grandiflora, 351. Mesembryanthemum crystallinum, 373. muskmelon, 293. mustard, 288. okra, 329. onion, 281. Paeonia sp., 374. pea, 306. peach, 65. Polygonum convolvulus, 306. potato, 248.

```
personata, peanut, 330.
  spinach, 332.
  squash, 297.
                                             rubi, blackberry, 89.
  sugar beet, 324.
                                                dewberry, 89.
  sugar cane, 320.
                                             simulata, Cassia marilandica, 300.
  sweet potato, 270.
                                             vaginae, sugar cane, 320.
  tobacco, 316.
                                             vernoniae, Vernonia sp., 305.
  tomato, 265.
                                             viciae, Lathyrus ochroleucus, 382.
  Tradescantia fluminensis, 377.
                                             violae, Viola sp., 378.
  turnip, 289.
  watermelon, 299.
                                              sp., asparagus, 325.
                                                Chrysanthemum spp., 363.
Calyptospora columnaris, Vaccinium sp., 385.
                                                cotton, 310.
                                                fig, 103.
Canker, Populus spp., 353.
                                                muskmelon, 293.
   sweet clover, 200.
                                             pumpkin, 296.
Capnodi um citricolum, citrus, 99.
                                                 soybean, 202.
   sp., Pinus glabra, 340.
                                           Cer cosporella albo-maculans, cabbage,
     watermelon, 299.
                                                Chinese cabbage, 207.
Cenangium abietis, Pinus excelsa, 340.
                                                turnip, 289.
   piniphilum, Pinus monticola, 340.
                                              nivea, Solidago juncea scaberrima,
Cephaleuros virescens, avocado, 101.
   citrus, 99.
                                                   384.
Cephalosporium acremonium, corn, 106.
                                                 Solidago uliginosa, 304.
Ceratostomella fimbriata, sweet potato,
                                              persicae, peach, 65.
   267, 270.
                                           Cerotelium fici, fig, 103.
                                           Ceuthospora lunata, cranberry, 91.
Cercoseptoria minuta, Campanula apari-
   noides, 300.
                                              populi; Populus grandidentata, 352.
Cercospora althaeina, Althaea rosea, 358.
                                           Chaconia texensis, Phoradendron macro-
   apii, celery, 301.
                                              phyllum, 383.
      pastinacae, parsnip, 329.
                                           Chlorosis, apple, 42.
                                              apricot, 72.
   armoraciae, horseradish, 207.
   asparagi, asparagus, 325.
                                              bean, 277.
                                              grape, 77.
   beticola, beet, 326.
      mangel wurzel, 328.
                                              lettuce, 304.
      spinach, 332.
                                              muskmelon, 293.
      sugar beet, 324.
                                              pea, 307.
      swiss chard, 333.
                                             peach, 66.
   bloxami, Chinese cabbage, 287.
                                             peanut, 330.
   capsici, pepper, 330.
                                             pear, 49.
                                             Pelargonium sp., 375.
   caulicola, asparagus, 325.
   citrullina, watermelon, 299.
                                              plum, 69.
                                              strawberry, 80.
   clavata, Asclepias tuberosa, 380.
                                              tobacco, 316.
   cruenta, cowpea, 201.
      lima bean, 278.
                                           Choanephora cucubitarum, cucumber, 296
   dubia, Chenopodium hybridum, 380.
                                           Chrysomyxa cassandrae (see Melampso-
   fusca, pecan, 106.
                                              ropsis cassandrael, 339.
   hibisci, okra, 329.
                                           Cintractina caricetorum, Carex penn-
   hydrangeae, Hydrangea sp., 370.
                                              sylvanica, 380.
                                           Clados por ium carpophilum, almond, 108.
   kellermanii, Althaea rosea, 358.
   leptandrae, Vernonia sp., 385.
                                                 apricot, 71.
   lythracearum, pomegranate, 104.
                                                peach, 56, 417.
                                              cucumerinum, cucumber, 296.
   mali, apple, 39.
   medicaginis, alfalfa, 197.
                                                 muskmelon, 293.
   nicotianae, tobacco, 316.
                                              fulvum, toma to, 264.
   perfoliata, Eupatorium purpureum, 381.
                                             herbarum, Coreopsis sp., 365.
```

wheat, 154. paeoniae, Paeonia sp., 374. vignae, cowpea, 201. sp., Chrysanthemum spp., 363. pepper, 330. Claviceps purpurea, barley, 167. Lolium perenne, 205. . Phalaris arundinacea, 205. rye, 157, 397.
wheat, 149. wheat, 149. Clitocybe monadelpha, grape, 77. guava, 103. Ligustrum sp., 372. tabescens, Casuarina equisetifolia, 348. Coccomyces hiemalis, cherry, 70, 422. kerriae, Kerria japonica, 371. prunophorae, plum, 68. sp., apricot, 72. Coleosporium elephantopodis, Pinus spp., helianthi, Helianthus strumosus, 382. solidaginis, Pinus resinosa, 341. Colletotrichum antirrhini, Antirrhinum majus, 359. circinans, onion, 281. cyclamenae, Cyclamen sp., 365. erumpens, rhubarb, 331. falcatum, sugar cane, 320. ... gloeosporioides, avocado, 101. grapefruit, 99. mango, 102. gossypii, cotton, 411. graminicolum, Agropyron repens, 205. Agrostis palustris, 205. · . . . barley, 167. Bromus secalinus, 205. Dactylis glomerata, .205. · Festuca elatior, 205. Holcus sorghum sudanensis, 205. oats, 176. Poa pratensis, 205. rye, 157. wheat, 149. .. lagenarium, cucumber, 295. Cucurbita sp., 365. muskmelon, 290. watermelon, 290. lindemuthianum, bean, 271, 412. lima bean, 270. linicolum, flax, 188. nigrum, pepper, 331. omnivorum, Aspidistra lurida, 359. phomoides, tomato, 265.

spinaciae, spinach, 332. trifolii, alfalfa, 197. violae tricoloris, Viola tricoloris, 378. sp., coconut, 108. fig, 103. Magnolia grandiflora, 351. onion, 281. Phoenix spp., 376. strawberry, 80.
Washingtonia sp., 378. Coniophora corrugis, Abies lasiocarpa, Juniperus spp., 337. Picea engelmannii, 338. Pinus ponderosa, 341. flavomarginata, Quercus garryana, 354. Coniothyrium pirinum, apple, 17. Cork, apple, 42. Corky core, apple, 42. Corticium argentatum, Salix spp., 356. atkinsonii, Populus spp., 353. bombycinum, Acer sp., 346. Alnus spp., 347. Betula spp., 347. Populus spp., 353. Salix spp., 356. Tilia spp., 357. canadense, Pinus strobus, 342. ermineum, Picea sitchensis, 339. Thuja plicata, 345. fuscostratum, Pinus strobus, 342. galactinum, apple, 40. granulatum, Populus trichocarpa, 353. incanum, Acer sp., 346. litschaueri, Alnus spp., 347. ochrofarctum, Populus trichocarpa, 353. overholtsii, Pinus rigida, 342. pilosum, Alnus spp., 347. Tsuga sp., 345. Vitis sp., 385. pseudotsugae, Pseudotsuga douglasii; 344. Tsuga canadensis, 345. racemosum, Abies grandis, 335. Larix occidentalis, 338. Pseudotsuga douglasii, 344. Thuja plicata, 345. rubellum, Quercus gambelii, 354. Tilia spp., 357.

Vitis.sp., 385.

rubicundum, Picea sitchensis, 339.

salmonicolor, Amherstia sp., 378. strobilinum, Quercus geminata, 354. apple, 39. Crown rot, alfalfa, 195. fig, 103. clover, 199. spretum, Fraxinus oregona, 349. Crown rust, oats, 168. stevensii, apple, 40. Cryptosporium acicolum, Pinus palussubalbum, Alnus spp., 347. tris, 341. Cryptosporella viticola, grape, 77. subcinereum, Cornus spp., 349. Curly dwarf, tobacco, 316. Syringa vulgaris, 377: Curly top, Amaranthus sp., 379. tsugae, Tsuga canadensis, 345. vagum, alfalfa, 194. bean, 276. Ampelopsis spp., 358. beet, 326. bean, 275. Callistephus chinensis, 362. cabbage, 284. carrot, 326. Callistephus chinensis, 361. celery, 303. carrot, 326. · cucumber, 296. cauliflower, 285. Helichrysum bracteatum, 369. horseradish, 207. cotton, 310. Dahlia sp., 365. mangel wurzel, 329. Delphinium sp., 366. muskmelon, 293. peanut, 330. Dianthus caryophyllus, 367. pepper, 331. Lathyrus odoratus, 372. rhubarb, 331. salsify, 332. lettuce, 303. Paeonia sp., 375. squash, 297. pea, 305. squash, 297. sugar beet, 259, 322. Petunia hybrida, 375. Pinus spp., 344. Cuscuta arvensis, Chrysanthemum spp., potato, 230. 363. sp., alfalfa, 197. radish, 288. Hedera helix, 369. Sophora japonica, 377. onion, 281. tomato, 265. sugar beet, 324. Thuja orientalis aurea, 345. tomato, 261. Cylindrocarpon sp., Pyrus spp., 40. Viola tricolor, 378. Cylindrocladium pteridis, Polystichum vinosuscabens, Picea rubra, 339. adiantiforme, 383. Cylindrosporium brassicae, turnip, 289. Tsuga canadensis, 345. pomi (see Phoma pomi), 33. spp., Pinus spp., 344. Coryneum beijerinckii, almond, 108. triostei, Triosteum aurantiacum, 305. Triosteum perfoliatum, 385. apricot, 71. sp., (see Coccomyces kerriae), 371. peach, 60. Cystothyrium abietis, Abies lasiocarpa, foliicolum, apple, 17. Covered smit, barley, 159. Cracked stem, celery, 302. Cystospora batata, sweet potato, 268, Cracking, apple, 42. peach, 64. Cytospora chrysosperma, Populus spp., Crinkle joint, wheat, 155. Salix spp., 356. Cronartium cerebrum, Pinus banksiana, Sorbus sp., 357. 339. Pinus rigida, 342. platani, Platanus occidentalis, Pinus taeda, 343. 352. sp., Acer palmatum, 346. Pinus virginiana, 344. Quercus coccinea, 354. Salix discolor, 356. spp., 356. Quercus velutina, 354. comptoniae, Pinus contorta, 339.

ribicola, Ribes nigrum, 383.

Damping-off, Berberis thunbergi, 360: Callistephus chinensis, 362; Dasyscypha fuscosanguinea, Pinus monticola, 340: Delayed blooming, defoliation on peach, Dendrophoma obscurans, strawberry, 80. Diaporthe citri, grapefruit, 95. orange, 95. tangerine, 95. phaseolorum, lima bean, 278. Didymellinia cocos; Cocos alphonsei, 364. iridis, Iris sp., 370. Die-back, grapefruit, 100. orange; 100: Dimerium juniperi, Juniperus occidentalis, 336: Dimerosporium abietis, Abies amabilis, 335 🗉 Abies grandis, 335. Diplocarpon earliana, strawberry, 79. Diplodia gossypina, citrus, 96. cotton, 310. natalensis, citrus, 96, 98. tubericola, sweet potato, 270. zeae, corn, 182. sp., avocado, 101. coconut, 100. Grevillea robusta, 350. lemon, 98. mango, 102. onion. 281. orange, 98. sweet potato, 270. watermelon, 300. Diplodiopsis robiniae, Robinia pseudoacacia, 355. Distortion of wheat heads, wheat, 155. Dothichiza populea, Populus spp., 353. Dothidella betulina, Betula pumila, 347. Dothiorella ribis, lemon, 90. orange, 98. scopulina, Sorbus scopulina, 357. Dropsy, Pelargonium sp., 375. Drought die-back, apple, 42. Drought injury, Callistephus chinensis, 362. Drought spot, apple, 42, 43. Dry rot, Gladiolus sp., 369. Dwarf, loganberry, 90. Dwarfing, cotton; 311.

Empoasca fabae, alfalfa, 196. Endophyllum sempervivi, Sempervivum sp., 376. the company of particles. Endothia parasitica, Castanea dentata, End rot, cranberry, 92. ... Entyloma compositarum, Eupatorium urticaefolium, 381. Rudbeckia laciniata, 304 dahliae, Dahlia sp., 365. polysporum, Rudbeckia hirta, 384. saniculae, Sanicula gregaria, 384. sp., Thalictrum dasycarpum, 305. Epicoccum glumarum; wheat; 154. Epiphytic higher plants, citrus, 99 Erysiphe ambrosiae, Ambrosia artemisiaefolia, 378. cichoracearum, Callistephus chinensis, 361. · · · . throug . Harristania Chrysanthemum spp., 363. cucumber, 296. Antomies a Jerusalem artichoke, 325. muskmelon, 291. Phlox spp., 375. Plantago major, 383. . pumpkin, 296. squash, 297. sunflower, 204. watermelon, 300. Zinnia elegans, 378. graminis, Agropyron repens, 205. barley, 167. Poa pratensis, 205. rye, 158. wheat, 152. polygoni, bean, 277, clover, 198. Delphinium sp., 366. Lathyrus odoratus, 372. pea, 307. Primula acaulis, 376. sp., Cirsium arvense, 381. Dahlia sp., 365. Exanthema, apricot, 72. pear, 49. plum, 69. Exoascus cerasi, cherry, 71. communis, plum, 68. deformans, peach, 53, 417 pruni, plum, 60. Prunus spp., 354.

Exobasidium vaccinii, cranberry, 91. Exophoma magnoliae, Magnolia grandiflora, Exosporium palmivorum, Kentia sp., 371.

Phoenix spp., 376. sociatum, Acer sp., 347. sp., Quercus spp., 355. The Reserve Contraction Fabraea maculata, pear, 48, 419. quince, 50. False blossom, cranberry, 92. Talse melanose, citrus, 100. Fasciation, Dahlia sp., 366. Fertilizer burn, Pinus resinose, 341. Foliocellosis, citrus, 101. Fomes applanatus, peach, 65. robiniae, Robinia pseudoacacia, 355. Frenching, tobacco, 316... Frost injury, blackberry, 89. dewberry, 89. grape, 76. peach, 63. pear, 49. Sophora japonica, 377. Taxus sp., 345. Frost mottling, tobacco, 316. Fruit rots, cranberry, 92. Fuligo ovata, golf greens, 205. . . sp., strawberry, 80. Fumago vagans, pear, 48. Fusarium aduncisporum, bean, 1274. lima bean, 278. affine, tobacco, 316. batatatis, sweet potato, 266, 409. carpineum, Hicoria cordiformis, 350. conglutinans, cabbage, 201. kohlrabi, 288. callistephi, Callistephus chinensis, Centaurea cyanus, 363. cubense, banana, 102. . . eumartii, potato, 233. hyperoxysporum, sweet potato, 266: lini, flax, 188. lycopersici, tomato, 252, 410. malli, onion, 200. - Care martii phaseoli, bean, 274. lima bean, 278. pisi, pea, 305.

moniliforme, corn, 184.

niveum, watermelon, 298.

Committee St.

oxysporum gladioli, Gladiolus sp., 369. nicotianae, tobacco, 316. potato, 405. vasinfectum, cotton, 307, 411. okra, 329. tracheiphilum, cowpea, 200. sp., Aquilegia sp., 359. asparagus, 325. barley, 168. blueberry, 92. celery, 302. ... com, 183, 404. Dahlia sp., 365. Dianthus barbatus, 367. Dianthus caryophyllus, 367. Gladiolus sp., 369. Lathyrus odoratus, 372. muskmelon, 293. Narcissus sp., 373. oats, 176. onion, 281. Paeonia sp., 375. pea, 305. peanut, 330. pepper, 330. Pyrus spp., 40. rice, 187. soybean, 202. squash, 297. strawberry, 80. Viola tricoloris, 378. wheat, 154. spp., bean, 274, 412. corn, 184. onion, 280. potato, 232, 233. spinach, 332. sweet potato, 270. Fusicladium effusum, pecan, 104. pisicola, pea, 307. Fusicoccum putrefaciens, cranberry, Fusisporium rubi, blackberry, 89. Gas injury, Acer sp., 347. Giant hill, potato, 246. Gibberella saubinetii, barley, 167. corn, 184, 403. oats, 176. rye, 158.

wheat, 146, 395. spp., corn, 183, 184. Pyrus spp., 40. Hoeodes pomigena, apple, 32. pear, 40. quince, 50. Gloeosporium apocryptum, Acer saccharum, caulivorum, clover, 199. hysterioideum, Acer saccharum, 346. limetticolum, lime, 99. musarum, banana, 102. niveum, Ilex verticillata, 370. nymphaearum, Nymphaea sp., 374. perennans, apple, 40. piperatum, pepper, 330, 331. saccharini, Acer sp., 347. septorioides, Quercus alba, 354. sp., Cinnamomum camphora, 349. Euonymus sp., 368. Glomerella cingulata, apple, 10, 415. grape, .77. guava, .103. Ligustrum sp., 372. papaya; 103. pepper, 331. vacinii, cranberry, 91. glycines, soybean, 202. gossypii, cotton, 308. piperata, pepper, 331. sp., pepper, 331. Gnomonia caryae, Hicoria alba, 350. Hicoria spp., 350. leptostyla, Juglans cinerea, 351. Juglans nigra, 351. Persian walnut, 107. ulmea, Ulmus sp., 357. .veneta, Platanus sp., 352. Graphiola phoenicis, date, 103. Graphium geranii, Geranium molle, 301. hamamelidis, Hammelis virginiana, sorbi, Sorbus americana, 357. Greasy spot (see false melanose), 100. Guignardia bidwellii, Ampelopsis spp., grape, 72, 414. boltoniae, Boltonia diffusa, 380. lonicerae, Lonicera hispidula, 372, vaccinii, cranberry, 91. Gummosis, citrus, 100. lemon, 100.

orange, 100. .

Gymnoconia interstitialis, blackberry, 88. dewberry, 89. raspberry, 87. Gymnosporangium betheli, Crataegus douglasi, 349. Juniperus scopulorum, 337. clavariaeforme, Juniperus spp., 337. germinale, Juniperus spp., 338. quince, 50. globosum, Crataegus coccinea, 349. pear, 48. juniperi-virginianae, apple, 13. kernianum, pear, 43. nidus-avis, Juniperus spp., 338. sp., apple, 415. Hail injury, peach, 64.

pear, 49. Pinus strobus, 342. Haplosporella lathami, Myrica carolinensis, 351. Heat canker, flax, 188. Heat necrosis, potato, 249. Helminthosporium avenae (see H. sp.), 176. californicum, barley, 166. gossypii, cotton, 311. gramineum, barley, 164, 399. inaequalis, cranberry, 91. sacchari, sugar cane, 320. sativum, barley, 165. rye, 159. wheat, 153. turcicum, Holcus sorghum caudanensis, 205. sorghum, 191. vagans, Poa pratensis, 205. sp., oats, 176.

sugar cane, 320.
wheat, 155.
Heterosporium magnoliae, Magnolia grandiflora, 351.
Hexatylus viviparus, Gladiolus sp., 369.
Hopperburn, potato, 246, 407.
Hollow stem, tomato, 265.

Heterodera radicicola, cotton, 411.

schachtii, sugar beet, 323.

Hormodendron cladosporioides, barley, 168.
rye, 159.
wheat, 155.

Hypholoma sublateritium, apple, 36. Hypochnus ochroleucus (see Corticium stevensii), 40.

Leaf roll, potato, 238, 241, 405. Hypoderma brachysporum, Pinus nigra, 341 deformans, Pinus ponderosa, 341. Leaf rust, barley, 159. wheat, 115, 120. hedgcockii, Pinus caribaea, 339. Pinus clausa, 339. Leaf scorch, Acer sp., 347. Pinus echinata, 339. pear, 49. Lemoine disease, Paeonia sp., 375. Pinus palustris, 341. Pinus rigida, 342. Lentinus lepideus, Pinus ponderosa, Pinus virginiana, 344. Leptosphaeria coniothyrium, apple, 40. lethale, Pinus echinata, 339. Pinus rigida, 342. raspberry, 87. sacchari, sugar cane, 320. Pinus serotina, 342. Pinus taeda, 343. Leptothyrium dryinum, Quercus alba, Pinus virginiana, 344. .354. Pinus spp., 344. pomi, apple, 32. Hypodermella abietis concoloris, Abies pear, 40. lasiocarpa, 336. Lichen leaf spot, Magnolia grandilaricis octospora, Larix occidentalis, flora, 351. Lightning injury, cabbage, 285. tomato, 265. montivaga, Pinus contorta, 339. Hypospila californica, Alnus rhombifolia, Little leaf, peach, 66. pecan, 106. Alnus rubra, 347. Little peach, peach, 62, 417. Hysterographium cocos, Cocos alphonsei, Loose smut, barley, 159. 364: wheat, 115, 119, 131. Lophodermium australe, Pinus echinata, 339. Pinus glabra, 340. Incompatibility of walnuts, apple, 43. Pinus palustris, 341. Influence of length of day, Chrysanthemum Pinus resinosa, 341. spp., 364. Pinus taeda, 343. laricis, Larix lyallii, 338. Internal breakdown, apple, 43. Internal browning, apple, 43. Losses, wheat, 115. watermelon, 300. Internal browning and shrivel, plum, 69. Internal brown spot, potato, 249. Irpex tulipiferae, Laburnum vulgare, 371. Macrophoma boltoniae, Boltonia dif-Isariopsis griseola, bean, 277. fusa, 300. candollei, Buxus sempervirens, 360. fici, fig, 103. phaseoli, bean, 275. Jonathan spot, apple, 34. sp., Celtis sp., 349. Salix spp., 356. Macrophomopsis draceanae, Iris sp., Kernel spot, pecan, 106. Macrosporium abutilonis, Abutilon King David spot, apple, 35. theophrasti, 379 🧢 Kuehneola gossypii, cotton, 311. carotae, carrot, 326. Kunkelia nitens, blackberry, 88. . cucumerinum, cucumber, 296. muskmelon, 289. nigricantium, cotton, 311. porri, onion, 281.

Leaf blight, Calendula officinalis, 361.

Leaf curl, raspberry, 83, 423.

Leaf drop, Berberis thunbergi, 360.

sarcinula parasiticum, onion, 281

sp., alfalfa, 197, 199. clover, 199, 200.

Gladiolus sp., 369. oats, 176. tobacco, 316. tomato, 265. yautia, 333. Malnutrition, cotton, 310. Mamiania fimbriata, Carpinus caroliniana, 348. Marasmius, sugar cane, 319. Marbling, tobacco, 316. Marcel, peach, 66. Marl disease, celery, 303. Marssonia populi, Populus tremuloides, 353. Populus spp., 353. potentillae, Potentilla canadensis, 383. Marssonina panattoniana, lettuce, 303. Measles, apple, 43. Melampsora albertensis, Populus balsamifera, 352. Populus tremuloides, 353. humboldtiana, Salix spp., 356. lini, Cathartolinum sulcatum, 380. flax, 188. medusae, Populus grandidentata, 352. sp., Salix angustifolia, 356. Salix monticola, 356. Melampsoropsis cassandrae, Picea mariana, 339. Melanconia decoraensis, Betula alba, juglandis, Juglans cinerea, 351. stillbostoma, Betula alba, 347. Melanconium bicolor, Ostrya virginiana, 352. Melanopichium austro-americanum, Polygonum sp., 383. Melasmia ulmicola, Ulmus racemosa, 357. Meliola mangierae, mango, 102. pinicola, Pinus echinata, 339. Microdiplodia sp., Kentia sp., 371. Microsphaera alni, Lathyrus odoratus, 372. pecan, 105. Platanus sp., 352. Rhamnus alnifolia, 355. vaccinii, Catalpa sp., 340. diffusa, Symphoricarpos racemosus, Microstroma juglandis, Hicoria cordiformis, 350. Mild mosaic, potato, 238. Monilochaetes infuscans, sweet potato,

Monkey face, olive, 102. Monochaetia desmazierii, Quercus velutina, 354. Mosaic, apple, 43. bean, 276, 412. cabbage, 285. Calendula officinalis, 361. celery, 303. clover, 199. cotton, 311. cowpea, 201. cucumber, 294. Dahlia sp., 366. dewberry, 89. eggplant, 327. lettuce, 304. musk melon, 290. pea, 307. pepper, 331. Petunia hybrida, 375. Phytolacca americana, 383. Phytolacca decandra; 291. Phytolacca sp., 303. potato, 239, 405. raspberry, 83, 423. sorghum, 191. soybean, 202. squash, 297. strawberry, 80. sugar cane, 317. sweet potato, 269. tobacco, 314. tomato, 260. Vigna catjang, 201. watermelon, 300: Mottle leaf, citrus, 101. Mycogone perniciosa, mushroom, 329. Mycosphaerella citrullina, watermelon, 300. fragariae, strawberry, 79. gossypina, cotton, 311. lethalis, clover, 200. pachystimae, Pachistima myrsinites, 374. rubi, blackberry, 89. dewberry, 89% loganberry, 90. raspberry, 87. sentina, pear, 48. sp., vetch, 203. Myxosporium corticolum, apple, 40. sp., Kerria japonica, 371.

N

Nailhead rust, sweet orange, 101.

Nectria galligena, apple, 40. pear, 48. rousselliana, Buxus sempervirens, 360. sp., Betula spp., 348. Cydonia japonica, 365. Pyrus spp., 40. Needle blight, Pinus strobus, 342. Nema todes, Chrysan themum spp., 364. Neofabraea malicorticis, apple, 40. Net necrosis, potato, 249. New disease, blueberry, 92. Nummularia discreta, apple, 30. Qedema, Begonia sp., 360. Oidium euonymi-japonici, Euonymus sp., sp., Cichorium intybus, 380. Oligostroma acicola, Pinus palustris, Oospora citri-aurantii, lemon, 97. lactis parasitica, tomato, 265. Ophiobolus graminis, wheat, 153. Ovularia decipiens, Ranunculus acris, obliqua, Rumex sp., 384. Ozonium ominivorum, alfalfa, 197. Althaea rosea, 350. apple, 36. apricot, 72. blueberry, 93. castor bean, 327. Chrysanthemum spp., 364. cotton, 309. cowpea, 202. fig, 103. grape, 77. lettuce, 303. mulberry, 93. okra, 329. peach, 65. peanut, 330. pear, 48. pecan, 106. pepper, 331. Populus spp., 353. Schinus molle, 357.

Paradichlorobenzene injusy, peach, 66. Pedicel canker, grape, 77. Penicillium digitatum, lemon, 96: expansum, feijoa, 103. italicum, citrus, 96. roseum, lemon, 97. sp., apple, 40. cranberry, 91. Gladiolus sp., 369. Peridermium coloradense, Picea engelmanni, 338. ornamentale, Abies lasiocarpa, 336 sp., Pinus sylvestris, 342. Peronospora effusa, Amaranthus sp., 379 • spinach, 332. leptosperma, Artemisia ludoviciana, 380. myosotidis, Myosotis virginica, parasitica, Arabis laevigata, 379. cabbage, 284. cauliflower, 285. mustard, 288. Sophia filipes, 304. potentillae, Agrimonia gryposepala, 379. schleideni, onion, 279. sojae, soybean, 202. sordida, Scrophularia leporella, trifoliorum, alfalfa, 192. viciae, pea, 307. Pestalozzia guepini, avocado, 101. sp., avocado, 101. coconut, 100. cranberry, 91. Pezizella lythri, raspberry, 87. minuta, Pinus echinata, 340. Pinus rigida, 342. Pinus taeda, 343. Pinus virginiana, 344. Phacidium abietinellum, Abies balsamea, 335. balsameae, Abies concolor, 335. Abies lasiocarpa, 336. convexum, Pinus rigida, 342. infestans, Abies concolor, 335. Abies grandis, 335. planum, Pinus flexilis, 340. taxicolum, Taxus canadensis, 345 Phakopsora vitis, grape, 77. Phlyctaena linicola, flax, 188.

Panus sp., peach, 65.
Papery leaf.spot, ginseng, 328.

Phoma bakeriana, cowpea, 201. betae, beet, 326. sugar beet, 324. dahliae, Dahlia sp., 366. destructiva, tomato, 265. lingum, brussels sprouts, 286. ... cabbage, 20% mali, apple, 17, 40. pomi, apple, 33. sp., cotton, 311. peanut; 330. Poinsettia sp., 376. Phomes connatus, peach, 65. Phomopsis californica, lemon, 96, 98. citri (see Diaporthe citri), 95. grapefruit, 96. orange, 96. hibisci, Hibiscus syriacus, 370. juniperovora, Cupressus arizonica, 336. Cryptomeria japonica, 336. Juniperus sabina, 337. Juniperus virginiana, 336. sordidula, Ostrya virginiana, 352. vexans, eggplant, 327. sp., Abies grandis, 335. Abies lasiocarpa, 336. cranberry, 91. Phragmidium anders mi, Potentilla fruticosa, 383. imitans, raspberry, 87. Phragmidothidea eucalypti, Eucalyptus sp., 349. Phyllachora graminis, Agropyron repens, 205 gratissima, avocado, 101. trifolii, clover, 199. sp., Cinna latifolia, 301. Phyllactinia corylea, Crataegus douglasi, 349 • corylea, filbert, 108. Phyllosticta anthirrhini, Anthirrhinum majus, 359. batatas, sweet potato, 270. berberidis, Berberis vulgaris, 360. brunnea, Populus balsamifera, 352. oumeliae, Bumelia lanuginosa, 360. camelliae, Camellia japonica, 362. caryae, pecan, 106. catalpae, Catalpa sp., 340. colocasiae, yautia, 333. commonsii, Paeonia sp., 375. deutziae, Deutzia sp., 367. fraxinicola, Fraxinus pennsylvanica, 349 •

hortorum, eggplant, 327. kalmicola, Kalmia latifolia, 371. lappa, Arctium minus, 379. · limitata, apple, 17. maculans, Populus grandidentata, 352. minima, Acer negundo, 346. pallida, Silene noctiflora, 384. polygonorum, buckwheat, 191. prunicola, plum, 60. solitaria, apple, 9, 415. sorghina, Johnson grass, 191. straminella, rhubarb, 331. · ulmicola, Ulmus fulva, 357. vagans, Smilacina amplexicaulis, 384. viclae, Viola sp., 378. virginianae, plum, 68. . sp., Acer palmatum, 346. Begonia sp., 360. broom corn, 191. Buxus sempervirens, 360. Campanula glomerata, 363. Cocos plumosus, 365. Cydonia japonica, 365. Fraxinus sp., 350. Ligus trum japonica, 372. plum, 69. sorghum, 191. sour grass, 332. sugar cane, 320. Viburnum sp., 377. Phymatotrichum omnivorum, bean, 277. potato, 248. sweet potato, 270. Physalospora cydoniae, apple, 415. fusca, citrus, 96. malorum, apple, 16. citrus, %, pear, 40. quince, 50. rhodina, Ilex sp., 370. citrus, 96. sp., Cinnamomum cemphora, 349. Physarum cinereum, Poa pratensis, 205. Physoderma zeae-maydis, corn, 105. Phytomonas cerasi, cherry, 70. medicaginis phaseolicola, bean, 272. Phytophthora cactorum, apple, 40. Lilium spp., 372... pear, 48. rhubarb, 331. infestans, potato, 214, 405.

tomato, 263.

nicotinae, tobacco, 317.

palmivorum, coconut, 108.

phaseoli, lima bean, 277 Quercus spp., 355. terrestris, sweet orange, 98. Psorosis, grapefruit, 101. tomato, 263. sweet orange, 101. sp., Callistephus chinensis, 362. tangerine, 101. coconut, 109. Puccinia absinthii, Artemisia cana, rhubarb, 331, tobacco, 316. Artemisia dracunculus typica, Piricularia grisea, Digitaria sanguinalis, ambigua, Galium aparine, 301. 205. rice, 187. anomala, barley, 163. Plasmodiophora brassicae, broccoli, 286. antirrhini, Antirrhinum majus, 359. cabbage, 253. asparagi, asparagus, 325. cauliflower, 285. campanulae, Campanula scouleri, vascularum, sugar cane, 320. 363. Plasmopara geranii, Geranium bicknelli, clematidis, Agropyron repens, 205. Clematis sp., 364. halstedii, sunflower, 204. Elymus glaucus, 205. nivea, Cicuta maculata, 381. coronata, Festuca, elatior, 205. viticola, grape, 73. oats, 173, 401. Plectodiscella veneta, blackberry, 88. cyani, Centaurea cyanus, 363. dewberry, 89. dispersa, rye, 156, 397. loganberry, 90. raspberry, 81. epiphylla, Poa pratensis, 205. Poa sp., 205. gentiana, Gentiana affinis, 381. Plenodomus destruens, sweet potato, 268. Gentiana puberula, 381. Pleosphaeruline briosiana, alfalfa, 197. glumarum, Aegilops cylindrica, 205. Pleospora herbarum citrorum, apple, 40. barley, 160. sp., apple, 40. Elymus sp., 205. lemon, 97. wheat, 145. Pleurotus subaveolatus, apple, 40. graminis, Agropyron repens, 205. Plowrightia morbosa, cherry, 71. plum, 67. · Agrostis palustris, 205. Podosphaera leucotricha, apple, 31. barley, 162, 400. Bromus secalinus, 206. oxyacanthae, cherry, 71. Pokkah bong, sugar cane, 320. Festuca elation, 200. Hordeum jubatum, 206. Polyspora lini, flax, 188. oats, 171, 401. Polyporus ellisianus, Pinus ponderosa, Phleum pratense, 206. sulfureus, Larix occidentalis, 338. Poa compressa, 206. Polystictus versicolor, peach, 65. Poa pratensis, 206. Premature dropping, fig, 103. rye, 156, 397. Pseudomonas iridis, Iris sp., 370. wheat, 133, 395. grossulariae, currant, 90. sorghi, sorghum, 191. sp., oats, 177. gooseberry, 90. helianthi-mollis, sunflower, 204. Pseudoperonospora cubensis, cucumber, 295, hibisciata, Althaea rosea, 358. muskmelon, 290. pumpkin, 296, iridis, Iris sp., 371. squash, 297, jussiaeae, Ludwigia polycarpa, 382. watermelon, 300. lolii festucae, Elaeagnus angusti-Pseudopeziza medicaginis, alfalfa, 192. folia, 349. malvacearum, Althaea rosea, 358. ribis, currant, 90. gooseberry, 90. myrtillii, Vaccinium scoparium, Pseudovalsa lanciformis, Betula alba, patruelis, Hieracium canadense, 382. longipes, Quercus coccinea, 354.

anomala, buckwheat; 191. Lactuca villosa, 382. peckii, Oenothera pumila, 302. artemisiae, Artemisia caudata, 379. sorghi, corn, 181, 403. arvensis, Potentilla canadensis, 383. asteris, Aster azureus, 300. simplex, barley, 400. smilacis, Smilax bona-nox, 377. Aster paniculatus, 380. suaveolens, Cirsium arvense, 381. Aster sagittifolius, 300. triticina, wheat, 141, 395. Aster tradescanti, 300. violae, Viola tricolor, 373. barbareae, Barbarea stricta, 380. xanthii, Ambrosia trifida, 379. gracilipes, Cornus alternifolia, 349. spp., Chrysan themum spp., 364. heraclei, Heracleum lanatum, 382. lappulae, Cynoglossum officinale, 381. Pucciniastrum americanum, Rubus idaeus lophanthi, Agastache urticifolia, 379. aculeatissimus, 87. arcticum, Rubus triflorus, 384. melampyri, Melampyrum lineare, 382. myrtillii, Vaccinium membranaceum, pastinacae, parsnip, 329. 385. pratense, Rumex persicarioides, 304. Vaccinium scoparium, 385. reticulata, Osmorrhiza longistylis, Pucciniopsis caricae, papaya, 103. Puffing, tomato, 265. smilacinae, Smilacina amplexicaulis, Purple leaf spot, wheat, 155. 384. Pyrenopeziza medicaginis, alfalfa, 192. Smilacina stellata, 384. Pyrenophora teres, barley, 166. vaccinii, Vaccinium canadense, 385. Pythiacystis citrophthora, avocado, 101. Vaccinium pennsylvanicum, 385. grapefruit, 98. sp., Pyrus spp., 40. lemon, 98. Razoumofskya americana, Pinus flexilis, orange, 97. sweet orange, 98. laricis, Larix sp., 330. Pythium aphanidermatum, eggplant, 327. Rhabditis sp., Dahlia sp., 366. Rhizoctonia crocorum, carrot, 326. squash, 297. debaryanum, muskmelon, 293. microsclerotia, fig, 103. solani (see Corticium vagum), 230. soybean, 202. spinach, 333. potato, 405. tuliparum, Iris sp., 371. tobacco, 317. sp., bean, 277. sp., apple, 40. Cosmos bipinnatus, 365. Cosmos bipinnatus, 365. muskmelon, 293. cucumber, 296. Dahlia sp., 366. okra, 329. Papaver nudicaule, 375. Lathyrus odoratus, 372. lettuce, 303. parsley, 329. Rhodendron ponticum, 376. lima bean, 278. parsley, 329. Senecio sp., 376. pepper, 331. spinach, 333. squash, 297. strawberry, 80. sweet potato, 270. sunflower, 204. tobacco; 317: sugar cane, 319: tomato, 265. sweet potato, 270. watermelon, 300. Tulipa sp., 377. Rhizopus nigricans, peach, 65. strawberry, 80. sweet potato, 269. sp., avocado, 101. · cotton, 311. Rhynchosporium secalis, barley, 166.

rye, 159.

Ramularia actaeae, Actaea rubra neglecta, 379.

```
radish, 288.
Rhytisma acerinum, Acer dasycarpum, 3451
  nevale, Populus spp., 353.
                                                 Schizanthus sp., 376.
  salicinum, Salix lutea, 356.
                                                 tobacco, 317.
Ring spot, tobacco, 317.
                                                 tomata, 265.
Root burn, strawberry, 80.
                                               trifoliorum, alfalfa, 197.
Root rot, alfalfa, 195.
                                                 clover, 199.
                                              sp., Antirrhinum majus, 359.
  clover, 199.
  Pseudotsuga douglasii, 344.
                                              fig, 103.
Root rots, bean, 274.
                                                 lettuce, 303.
• wheat, 156. ** who was a
                                                 sunflower, 204.
Rosette, apple, 43.
                                           Sclerotiopsis testudinea, Paeonia sp.,
peach, 62.
pecan, 106.
                                           Sclerotium bataticola, sweet potato,
Rough bark, pear, 49.
Rugose mosaic, potato, 238.
                                               delphinii, Aconitum sp., 358.
Runting, Dahlia sp., 366.
                                             coryzae, rice, 187.
                                               rhizodes, wheat, 155.
Rust (see malnutrition), cotton, 310.
                                               rolfsii, Amaryllis sp., 358.
                                               · Antirrhinum majus, 359.
                                                     Aquilegia sp., 359.
Salt water injury, Pinus strobus, 342.
                                                 bean, 277.
Scab, wheat, 118, 155
                                               · beet, 326.
Scald, apple, 44. games
                                                 cabbage, 285.
   peach, 66.
                                                 carrot, 326.
Scaley bark (see nailhead rust), 101.
                                                 Chrysanthemum spp., 364.
                                                 Dahlia sp., 366.
Schizophyllum commune, apple, 40.
Scleroderris bacillifera, Pinus monticola,
                                                 eggplant, 327.
   guar, 204.
                                                 muskmelon, 293.
Sclerotinia carunculoides, mulberry, 93.
   erythroniae, Erythronium americanum,
                                                 Narcissus sp., 373.
 . 381.
                                                 oats, .177.
                                                 peanut, 330.
   fructicola, almond, 108.
      apple, 40....
                                                 pepper, 331.
      apricot, 72. cherry, 69, 422.
                                                 potato, 248.
                                                 sugar beet, 324.
      peach, 50, .417.
                                                 sweet potato, 270.
      plum, 67, 421.
                                                 Tagetes sp., 377.
                                                 tomato, 265.
      prune, 421.
   geranii, Geranium maculatum, 381.
                                                 Viola sp., 378.
                                                 watermelon, 300.
   gracilis, Erythronium albidum, 381.
   minor, celery, 302.
                                               sclorotiorum, pea, 305.
                                               sp., Telphinium sp., 366.
      lettuce, 303.
   oxycocci, cranberry, 91.
                                                 Eupatorium sp., 368.
   sclerotiorum, Antirrhinum majus, 359.
                                                 Iris sp., 371.
      bean, 277.
                                                 watermelon, 300.
      cabbage, 285.
                                            Scorch, Picea sitchensis, 339.
      celery, 302.
                                            Scorias spongiosa, Pinus strobus, 342.
      eggplant, 327.
                                           Scolecotrichum graminis, Poa pratensis,
      endive, 328.
                                               206.
      Iris sp., 371.
                                           Scutellum rot, corn, 186.
      lemon, 97.
                                           Sebacina cokeri, Quercus spp., 355.
      lettuce, 303.
                                           Seed piece decay, potato, 249.
      Myosotis sp., 375.
                                           Seed treatment, cereals, 111.
      pea, 305.
```

Septobasidium pedicellatum, Fraxinus, 350

sp., 350. pinicola, Pinus monticola, 340. Septogloeum salicinum, Salix humilis, 356. Septoria apii, celery, 301. astragalicola, Astragalus sp., 300. atropurpurea, Aster salicifolius, bataticola, sweet potato, 270. brunellae, Prunella vulgaris, 383. chrysanthemella, Chrysanthemum spp., 364. dianthi, Dianthus caryophyllus, 367. divaricata, Phlox spp., 375. erechtitis, Erechtites hieracifolia, gaillardiae, Gaillardia aristata, 368. gei, Geum canadense, 382. Geum strictum, 382. Geum virginianum, 302. gladioli, Gladiolus sp., 369. glycines, soybean, 202. grossulariae, gooseberry, 91. helianthi, sunflower, 204. infuscata, Lepachys pinnata, 382. lactucae, lettuce, 304. lycopersici, tomato, 253, 410. lycopi, Lycopus americanus, 382. Lycopus uniflorus, 382. malvicola, Malva rotundifolia, 382. margaritaceae, Anaphalis margaritacea, 379. nodorum, wheat, 149. ornithogali, Ornithogalum sp., 374. pini, Pinus palustris, 341. pisi, pea, 307. polygonorum, Persicaria persicaria, Polygonum sp., 383. psilostega, Galium boreale, 381. rubi, Rubus triflorus, 304. salicicola, Salix humilis, 356. secalis, rye, 159. tritici, wheat, 150. violae, Viola lanceolata, 305. Slime flux, Populus spp., 353. Soft nose, olive, 102. Sorosporium reilianum, corn, 186. sorghum, 190. syntherismae, Panicum proliferum, 206.

Souring of fruit, fig, 104.

Sphaceloma ampelinum, grape, 77.

fawcetti, grapefruit, 94. lemon, 94. sp., avocado, 101. Sphacelotheca cruenta, sorghum, 190. sorghi, sorghum, 189. Sphaerodothis neowashingtoniae, Washingtonia sp., 370. Sphaeronema fimbriatum, sweet potato, 409 .: Sphaeropsis amplispora, Acer dasycarpum, 345. cercidis, Cercis canadensis, 349. lycii, Lycium halimifolium, 372. ulmicola, Ulmus sp., 357. vincae, Vinca sp., 378. sp., Populus spp., 353. Prunus glandulosa, 376. Sphaerotheca humuli, raspberry, 87. strawberry, 79. mors-uvae, gooseberry, 91. pannosa, peach, 65. Spindle tuber, potato, 238, 243. Spindling sprout, potato, 249. Spondylocladium atrovirens, potato, 249. Spongospora subterranea, potato, 237. Sporotrichum citri, (see Sphaceloma fawcetti), 94. Spot necrosis, apple, 43. Spray injury, apple, 37. grapefruit, 100. orange, 100. peach, 62. tangerine, 100. Sphaceloma fawcetti, Satsuma orange, Sprout tubers, potato, 250. Stagnospora petasitidis; Petasites palmatus, 383. Stegopezizella balsamae (see Phacidium balsamae), 335. Stem-end browning, potato, 250, Stem-end rot, potato, 250. Stem rust, barley, 159. · oats, 168. wheat, 115, 116. Stereum purpureum, apple, 41. Euonymus japonicus, 368. Stigmonose, apple, 44. Stinking smit, wheat, 115, 117, 125, .. Storage rots, sweet potato, 270. Streak, potato, 246. raspberry, 83.

tomato, 260. Stripe, barley, 159. wheat, 155... Stripe of rye leaves, rye, 159. Strumella coryneoidea, Quercus spp., 355. Stunt, Dahlia sp., 366. Sun scald, apple, 44. Sun scorch, Buxus sempervirens, 360. Fraxinus sp., 350. Sydowia dothideoides, Populus tremuldides, 353 Prunus demissa melanocarpa, 353: Synchytrium aureum, Artemisia biennis, 379 • endobioticum, potato, 234. .Taphrina coerulescens, Quercus rubra, 354. Quercus velutina, 354. Quercus virginiana, 355. Quercus spp., 355. strutiopteridis, Onoclea strutiopteris, 382. ulmi, Ulmus americana, 357. Thick leaf, tobacco, 317. Thielavia basicola, Lathyrus odoratus, 372. tobacco, 313. Thielaviopsis paradoxa, coconut, 109. sp., coconut, 109. Thyronectria denigrata, Gleditsia triacanthos, 350. Tilletia asperifolia, Sporobolus asperifolia, 206. holci, Notholcus lanatus, 206. horrida, rice, 107. laevis, wheat, 115, 396. tritici, wheat, 115, 395. Tipburn, lettuce, 304. potato, 246, 407. Tolyposporium bullatum, Echinochloa crusgalli, 206. Trametes peckii, apple, 41. Tranzschelia pruni-spinosae, plum, 69. punctata, Anemone coronaria, 358. peach, 65. Trichoderma lignorum, lemon, 97. Tuberculina maxima, Pinus monticola, 340. Tubercinia clintoniae, Streptopus roseus, 384. Tylenchus dipsaci, alfalfa, 195.

clover, 199.

garlic, 328.

and the same of the state of the same of the same of

Narcissus sp., 374. Phlox spp., 376. Physalis pubescens, 303. potato, 249. Solanum villosum, 384. Solidago uliginosa, 384. strawberry, 80. semipenetrans, grapefruit, 99. similis, sugar cane, 320. tritici, wheat, 154. Tympanis buchsii, Pinus monticola, 340 Typhula graminum, wheat, 155. : Washing. . Uncinula australiana, Lagerstroemia indica, 371. necator, grape, 74. Undetermined disease, per, 305. Uneven ripening, grape; 77. Urocystis cepulae, onion, 278. flowersii, Anticlea elegans, 379. occulta, rye, 158, 397. tritici, wheat, 132. Uromyces appendiculatus, bean, 274. bidentis, Bidens sp., 300. caryophyllinus, Dianthus caryophyllus, 367. fallens, red clover, 199. hybridi, alsike clover, 199. . medicaginis, alfalfa, 197. seditiosus, Aristida tuberculosa, trifolii, alsike clover, 199. red clover, 199. repentis, white clover, 199. Urophlyctis alfalfae, alfalfa, 198. Ustilaginoidea sp., corn, 186. .Ustilago avenae, oats, 168, 401. bromivora, Bromus sterilis, 206. Bromus tectorum, 206. claytoniae, Claytonia linearis, 381. crameri, Chaetochloa italica, 206. crus-galli, Echinochloa crus-galli, 206. hordei, barley, 160, 399. hypodytes, Eriocoma cuspidata, 206. levis, oats, 168, 401. lorentziana, Hordeum jubatum, 206. nuda, barley, 161, 399.

rabenhorstiana, Digitaria sangui-

striaeformis, Dactylis glomerata, 206

nalis, 206.

Pige Supering governor

Phleum pratense, 206. Poa pratensis, 206. tritici, rye, 158. zeae, corn, 177, 403.

Valsa leucostoma, apple, 41. Veluticeps fusca, Pinus ponderosa, 341. Venturia compacta, cranberry, 91. lanea, Chamaecyparis nootkatensis, 336. pyrina, pear, 47, 419.

Vermicularia dematium, ginseng, 328. liliacearum, Smilacina stellata, 384. ..

trichella, Hedera helix, 369. Verticillium albo-atrum, eggplant, 327. loganberry, 90.

okra, 329. potato, 233. raspberry, 85. Solanum floridum, 327. tomato, 265.

buxi, Buxus sempervirens, 360. sp., Acer sp., 347. Virus diseases, potato, 237. Volutella fructi, apple, 41.

Wart, peach, 66. Water core, apple, 44. Western yellow blight, tomato, 257. Whiptail, cauliflower, 285. Zignoella ostiolata, Artemisia triden-White spot, alfalfa, 196. Wilt, citrus, 99. an sinformation of the annual ".que diagram"

an major faith and all made was a single provide an elegating

The all were to be that at the

tang an ing any and all the areas and the

Mark Control of the Section of the Control of the C

and the best of the second of

lemon, 99. Wilting, cabbage, 285. Winter injury, alfalfa, 195. apple, 38. Juniperus spp., 338. peach, 64. V Pinus strobus, 342. Pinus sylvestris, 343. raspberry, 86. Thuja plicata, 345. Witches' broom, potato, 245.

Xylaria digitata, apple, 37. hypoxylon, apple, 37. polymorpha, apple, 37. Quercus spp., 355. sp., apple, 36.

Yellow dwarf, potato, 246. Yellows, alfalfa, 196. buckwheat, 191. Calendula officinalis, 361. Callistephus chinensis, 362. Chrysanthemum spp., 364. Juglans nigra, 351. lettuce, 304. peach, 60, 417. salsify, 332. spinach, 333. strawberry, 80.

tata, 380.

ERRATA AND EXPLANATION

Page

- 164 Read "Helminthosporium gramineum" instead of "Helminthosporium gramineum".
- 184 Read "Gibberella saubinetii" instead of "G. saubinetti".
- 199 Read "Tylenchus dipsaci" instead of "Tylenshus dipsaci".
- 202 Read ."Bacterium phaseoli" instead of "B. phaseolii".
- 206 Read "Scolecotrichum graminis" instead of "Scolectrichum graminis".
- 206 Read "Chaetochloa italica" instead of "Chaerochloa italica".
- 249 Read "Spondylocladium atrovirens" instead of S. atrovirons".
- 288 Read "Bacillus carotovorus" instead of B. caratovorus".
- 311 Read "Kuehneola gossypii" instead of Kuhneola gossypii".
- 338 Read "Picea engelmani" instead of "P. engelmanii".
- 344 Read "Pseudotsuga douglasi" instead of "P. douglasii".
- 349 Read "Cinnamomum camphora" instead of "Cinnamonum camphora".
- 363 Read "Fusarium conglutinans callistephi" instead of Fusarium conglutinans callestephi".
- 365 Read "Cucurbita sp." instead of "Curcurbita sp."
- 367 Read "Dianthus caryophyllus" instead of "D. caryophllus".
- 369 Read "Botrytis sp." instead of "Botrytus sp."
- 371 Read "Microdiplodia sp." instead of Microdipoldia sp."
- 373 "Malus ioensis plena" no fungus given should be Gymnosporangium juniperi-virginianae Schw.
- 373 Read "Myosotis sp." instead of "Mysotis sp."
- 374 Read "Mycosphaerella pachistimae" instead of "M. pachystimae".
- 378 Read "Erysiphe cichoracearum" instead of "E. cichorocearum".
- 403 Read "Gibberella saubinetii" instead of G. saubinetti".